

OPLE® Propagation

ArcheWild reaffirms our complete commitment to providing fully documented Open-Pollinated, Local-Ecotype (OPLE®) native species. No cultivars, no asexual propagation, no bottlenecked genes.

**EcoRegion genotypes available:**

Piedmont
Long Island
Ridge & Valley
Northeastern Highlands
Appalachian Plateau
Blue Ridge

PRE-ORDERS: SPRING 2016

Species available for contract-grow orders placed before **January 15, 2016**. Herbaceous species available for pickup, delivery, or shipping after April 15, 2016. Earlier shipping dates are possible. Call us for specific genotype requirements, woody species, and about quart and gallon pricing. Many Piedmont, Ridge & Valley, Northeastern Highlands, Appalachian Plateau, and Long Island genotypes.

Call **855-PLANT-NATIVE** (855-752-6862) or e-mail sales at: contact@archewild.com

CONTRACT PRICING**Two flat minimum up to nine flats:**

Herbaceous species in DP98: \$0.59

Herbaceous species in DP50: \$0.89

Ten flats or more:

Herbaceous species in DP98: \$0.49

Herbaceous species in DP50: \$0.79

For retail or partial flat pricing and orders visit our online distributor at:

www.izelplants.com or e-mail: hello@izelplants.com

<i>Acer pensylvanicum</i>	striped maple
<i>Acorus americanus</i>	sweetflag
<i>Agastache foeniculum</i>	blue giant hyssop
<i>Ageratina altissima</i>	white snakeroot
<i>Agrimonia parviflora</i>	harvestlice
<i>Alisma subcordatum</i>	American water plantain
<i>Allium canadense</i>	meadow garlic
<i>Allium cernuum</i>	nodding onion
<i>Alnus serrulata</i>	hazel alder
<i>Amorpha canescens</i>	leadplant
<i>Amorpha herbacea</i>	clusterspike false indigo
<i>Andropogon gerardii</i>	big bluestem
<i>Andropogon glomeratus</i>	bushy bluestem
<i>Andropogon ternarius</i>	splitbeard bluestem
<i>Andropogon virginicus</i> var. <i>virginicus</i>	broomsedge bluestem
<i>Anemone canadensis</i>	Canadian anemone

OPLÉ® Propagation

ArcheWild reaffirms our complete commitment to providing fully documented

Open-Pollinated, Local-Ecotype (OPLÉ®) native species. No cultivars, no asexual propagation, no bottlenecked genes.

**EcoRegion genotypes available:**

Piedmont
Long Island
Ridge & Valley
Northeastern Highlands
Appalachian Plateau
Blue Ridge

PRE-ORDERS: SPRING 2016

<i>Anemone cylindrica</i>	candle anemone
<i>Anemone virginiana</i>	tall thimbleweed
<i>Apios americana</i>	groundnut
<i>Apocynum cannabinum</i>	Indianhemp
<i>Aquilegia canadensis</i>	red columbine
<i>Arnoglossum atriplicifolium</i>	pale Indian plantain
<i>Aronia prunifolia</i>	purple chokeberry
<i>Asclepias exaltata</i>	poke milkweed
<i>Asclepias incarnata</i> ssp. <i>incarnata</i>	swamp milkweed
<i>Asclepias purpurascens</i>	purple milkweed
<i>Asclepias speciosa</i>	showy milkweed
<i>Asclepias syriaca</i>	common milkweed
<i>Asclepias tuberosa</i>	butterfly milkweed
<i>Asclepias viridiflora</i>	green comet milkweed
<i>Astragalus canadensis</i>	Canadian milkvetch
<i>Baccharis halimifolia</i>	eastern baccharis
<i>Baptisia alba</i>	white wild indigo
<i>Baptisia australis</i> var. <i>aberrans</i>	blue wild indigo
<i>Baptisia australis</i> var. <i>australis</i>	blue wild indigo
<i>Baptisia tinctoria</i>	horseflyweed
<i>Bidens aristosa</i>	bearded beggarticks
<i>Bidens cernua</i>	nodding beggartick
<i>Bidens coronata</i>	crowned beggarticks
<i>Bidens mitis</i>	smallfruit beggarticks
<i>Blephilia ciliata</i>	downy pagoda-plant
<i>Boltonia asteroides</i>	white doll's daisy
<i>Bouteloua curtipendula</i>	sideoats grama
<i>Bouteloua gracilis</i>	blue grama
<i>Campanula rotundifolia</i>	bluebell bellflower

OPLÉ® Propagation

ArcheWild reaffirms our complete commitment to providing fully documented

Open-Pollinated, Local-Ecotype (OPLÉ®) native species. No cultivars, no asexual propagation, no bottlenecked genes.

**EcoRegion genotypes available:**

Piedmont
Long Island
Ridge & Valley
Northeastern Highlands
Appalachian Plateau
Blue Ridge

PRE-ORDERS: SPRING 2016

Campanulastrum americanum	American bellflower
Carex alata	broadwing sedge
Carex albolutescens	greenwhite sedge
Carex comosa	longhair sedge
Carex crinita	fringed sedge
Carex diandra	lesser paniced sedge
Carex folliculata	northern long sedge
Carex frankii	Frank's sedge
Carex glaucescens	southern waxy sedge
Carex granularis	limestone meadow sedge
Carex grayi	Gray's sedge
Carex gynandra	nodding sedge
Carex intumescens	greater bladder sedge
Carex lupulina	hop sedge
Carex lurida	shallow sedge
Carex normalis	greater straw sedge
Carex pensylvanica	Pennsylvania sedge
Carex scoparia	broom sedge
Carex squarrosa	squarrose sedge
Carex stipata	awlfuit sedge
Carex stricta	upright sedge
Carex vulpinoidea	fox sedge
Carpinus caroliniana	American hornbeam
Celtis tenuifolia	dwarf hackberry
Cephalanthus occidentalis	common buttonbush
Chamaecrista fasciculata	partridge pea
Chamaecrista nictitans	sensitive partridge pea
Chamaecyparis thyoides	Atlantic white cedar
Chasmanthium latifolium	Indian woodoats

OPLÉ® Propagation

ArcheWild reaffirms our complete commitment to providing fully documented

Open-Pollinated, Local-Ecotype (OPLÉ®) native species. No cultivars, no asexual propagation, no bottlenecked genes.

**EcoRegion genotypes available:**

Piedmont
Long Island
Ridge & Valley
Northeastern Highlands
Appalachian Plateau
Blue Ridge

PRE-ORDERS: SPRING 2016

<i>Chasmanthium laxum</i>	slender woodoats
<i>Chelone glabra</i>	white turtlehead
<i>Cinna arundinacea</i>	sweet woodreed
<i>Circaea lutetiana</i>	broadleaf enchanter's nightshade
<i>Clematis addisonii</i>	Addison's leather flower
<i>Clematis virginiana</i>	devil's darning needles
<i>Coreopsis auriculata</i>	lobed tickseed
<i>Coreopsis basalis</i>	goldenmane tickseed
<i>Coreopsis grandiflora</i>	largeflower tickseed
<i>Coreopsis lanceolata</i>	lanceleaf tickseed
<i>Coreopsis major</i>	greater tickseed
<i>Coreopsis tinctoria</i>	golden tickseed
<i>Coreopsis tripteris</i>	tall tickseed
<i>Coreopsis verticillata</i>	whorled tickseed
<i>Cornus alternifolia</i>	alternateleaf dogwood
<i>Cornus amomum</i>	silky dogwood
<i>Cornus drumondii</i>	roughleaf dogwood
<i>Cornus florida</i>	flowering dogwood
<i>Cornus racemosa</i>	gray dogwood
<i>Cornus sericea</i>	redosier dogwood
<i>Corylus cornuta</i>	beaked hazelnut
<i>Crataegus chrysoarpa</i> var. <i>chrysoarpa</i>	red haw
<i>Dalea purpurea</i>	purple prairie clover
<i>Deschampsia cespitosa</i>	tufted hairgrass
<i>Deschampsia flexuosa</i>	wavy hairgrass
<i>Desmodium canadense</i>	showy ticktrefoil
<i>Desmodium glabellum</i>	Dillenius' ticktrefoil
<i>Desmodium paniculatum</i>	panicledleaf ticktrefoil
<i>Desmodium tortuosum</i>	dixie ticktrefoil

OPLE® Propagation

ArcheWild reaffirms our complete commitment to providing fully documented

Open-Pollinated, Local-Ecotype (OPLE®) native species. No cultivars, no asexual propagation, no bottlenecked genes.

**EcoRegion genotypes available:**

Piedmont
Long Island
Ridge & Valley
Northeastern Highlands
Appalachian Plateau
Blue Ridge

PRE-ORDERS: SPRING 2016

Doellingeria umbellata	parasol whitetop
Echinacea purpurea	eastern purple coneflower
Echinacea tennesseensis	Tennessee purple coneflower
Elymus canadensis	Canada wildrye
Elymus hystrix	eastern bottlebrush grass
Elymus riparius	riverbank wildrye
Elymus villosus	hairy wildrye
Elymus virginicus	Virginia wildrye
Eragrostis curvula	gummy lovegrass
Eragrostis elliottii	field lovegrass
Eragrostis hirsutus	bigtop lovegrass
Eragrostis spectabilis	purple lovegrass
Eragrostis trichodes	sand lovegrass
Eriogonum allenii	shale barren buckwheat
Eryngium aquaticum	rattlesnakemaster
Eryngium yuccifolium	rattlesnakemaster
Euonymus americanus	bursting-heart
Euonymus atropurpureus	burningbush
Eupatoriadelphus maculatus var. maculatus	spotted trumpetweed
Eupatorium coelestinum	Chapman's thoroughwort
Eupatorium fistulosum	trumpetweed
Eupatorium hyssopifolium	hyssopleaf thoroughwort
Eupatorium perfoliatum	common boneset
Eupatorium purpureum	sweetscented joe pye weed
Eupatorium rotundifolium	roundleaf thoroughwort
Eurybia divaricatus	white wood aster
Eurybia macrophylla	bigleaf aster
Euthamia caroliniana	slender goldentop
Euthamia graminifolia	flat-top goldentop

OPLE® Propagation

ArcheWild reaffirms our complete commitment to providing fully documented

Open-Pollinated, Local-Ecotype (OPLE®) native species. No cultivars, no asexual propagation, no bottlenecked genes.

**EcoRegion genotypes available:**

Piedmont
Long Island
Ridge & Valley
Northeastern Highlands
Appalachian Plateau
Blue Ridge

PRE-ORDERS: SPRING 2016

<i>Eutrochium dubium</i>	coastal plain joe pye weed
<i>Fragaria virginiana</i>	Virginia strawberry
<i>Gaylussacia frondosa</i>	blue huckleberry
<i>Gentianopsis crinita</i>	greater fringed gentian
<i>Geum canadense</i> var. <i>canadense</i>	white avens
<i>Geum macrophyllum</i>	largeleaf avens
<i>Glyceria striata</i>	fowl mannagrass
<i>Hasteola suaveolens</i>	false Indian plantain
<i>Helenium autumnale</i>	common sneezeweed
<i>Helianthus angustifolius</i>	swamp sunflower
<i>Helianthus annuus</i>	common sunflower
<i>Helianthus divaricatus</i>	woodland sunflower
<i>Helianthus giganteus</i>	giant sunflower
<i>Helianthus laevigatus</i>	smooth sunflower
<i>Helianthus radula</i>	rayless sunflower
<i>Heliopsis helianthoides</i>	smooth oxeye
<i>Heuchera longiflora</i>	longflower alumroot
<i>Heuchera villosa</i>	hairy alumroot
<i>Hibiscus moscheutos</i>	crimson-eyed rosemallow
<i>Hypericum pyramidatum</i>	spotted St. Johnswort
<i>Hypoxis hirsuta</i>	common goldstar
<i>Ionactis linariifolius</i>	stiff aster
<i>Iris virginica</i>	Virginia iris
<i>Iva frutescens</i>	Jesuit's bark
<i>Juglans cinerea</i>	butternut
<i>Juncus canadensis</i>	Canadian rush
<i>Juncus coriaceus</i>	leathery rush
<i>Juncus effusus</i>	common rush
<i>Juncus tenuis</i>	poverty rush

OPLÉ® Propagation

ArcheWild reaffirms our complete commitment to providing fully documented Open-Pollinated, Local-Ecotype (OPLÉ®) native species. No cultivars, no asexual propagation, no bottlenecked genes.

**EcoRegion genotypes available:**

Piedmont
Long Island
Ridge & Valley
Northeastern Highlands
Appalachian Plateau
Blue Ridge

PRE-ORDERS: SPRING 2016

<i>Juniperus virginiana</i>	eastern redcedar
<i>Leersia virginica</i>	whitegrass
<i>Lespedeza bicolor</i>	narrowleaf lespedeza
<i>Lespedeza capitata</i>	roundhead lespedeza
<i>Lespedeza cuneata</i>	roundhead lespedeza
<i>Lespedeza frutescens</i>	shrubby lespedeza
<i>Lespedeza hirta</i>	hairy lespedeza
<i>Lespedeza stipulacea</i>	creeping lespedeza
<i>Lespedeza virginica</i>	slender lespedeza
<i>Liatris aspera</i>	tall blazing star
<i>Liatris elegans</i>	pinkscale blazing star
<i>Liatris garberi</i>	Garber's blazing star
<i>Liatris gracilis</i>	slender blazing star
<i>Liatris graminifolia</i>	slender blazing star
<i>Liatris pilosa</i>	shaggy blazing star
<i>Liatris pycnostachya</i>	prairie blazing star
<i>Liatris scariosa</i> var. <i>novae-angliae</i>	New England blazing star
<i>Liatris scariosa</i> var. <i>scariosa</i>	devil's bite
<i>Liatris spicata</i>	dense blazing star
<i>Liatris squarrosa</i>	scaly blazing star
<i>Liatris squarrulosa</i>	Appalachian blazing star
<i>Liatris tenuifolia</i>	shortleaf blazing star
<i>Liatris turgida</i>	turgid blazing star
<i>Lindera benzoin</i>	northern spicebush
<i>Lobelia cardinalis</i>	cardinalflower
<i>Lobelia puberula</i>	downy lobelia
<i>Lobelia siphilitica</i>	great blue lobelia
<i>Ludwigia alternifolia</i>	seedbox
<i>Ludwigia linearis</i>	narrowleaf primrose-willow

OPLÉ® Propagation

ArcheWild reaffirms our complete commitment to providing fully documented Open-Pollinated, Local-Ecotype (OPLÉ®) native species. No cultivars, no asexual propagation, no bottlenecked genes.

**EcoRegion genotypes available:**

Piedmont
Long Island
Ridge & Valley
Northeastern Highlands
Appalachian Plateau
Blue Ridge

PRE-ORDERS: SPRING 2016

Ludwigia maritima	seaside primrose-willow
Lyonia mariana	pedmont staggerbush
Lysimachia ciliata	fringed loosestrife
Mimulus ringens	Allegheny monkeyflower
Mitella diphylla	twoleaf miterwort
Monarda fistulosa	wild bergamot
Monarda fistulosa ssp. brevis	wild bergamot
Monarda media	purple bergamot
Monarda punctata	spotted beebalm
Morella pensylvanica	northern bayberry
Muhlenbergia capillaris	hairawn muhly
Oclemena acuminata	whorled wood aster
Oenothera fruticosa ssp. glauca	narrowleaf evening primrose
Oenothera gaura	narrowleaf evening primrose
Opuntia humifusa	devil's-tongue
Panicum amarum	bitter panicgrass
Panicum anceps	beaked panicgrass
Panicum clandestinum	slender panicgrass
Panicum dichotomiflorum	fall panicgrass
Panicum rigidulum	redtop panicgrass
Panicum virgatum var. virgatum	switchgrass
Parthenocissus quinquefolia	Virginia creeper
Peltandra virginica	green arrow arum
Penstemon australis	Eustis Lake beardtongue
Penstemon digitalis	talus slope penstemon
Penstemon hirsutus	hairy beardtongue
Penstemon laevigatus	eastern smooth beardtongue
Phlox divaricata	wild blue phlox
Physostegia virginiana	obedient plant

OPLÉ® Propagation

ArcheWild reaffirms our complete commitment to providing fully documented

Open-Pollinated, Local-Ecotype (OPLÉ®) native species. No cultivars, no asexual propagation, no bottlenecked genes.

**EcoRegion genotypes available:**

Piedmont
Long Island
Ridge & Valley
Northeastern Highlands
Appalachian Plateau
Blue Ridge

PRE-ORDERS: SPRING 2016

Polemonium reptans	Greek valerian
Polygonatum biflorum	smooth Solomon's seal
Pontederia cordata	pickerelweed
Prenanthes trifoliolata	gall of the earth
Ptelea trifoliata	common hoptree
Pycnanthemum incanum var. incanum	hoary mountainmint
Pycnanthemum muticum	clustered mountainmint
Pycnanthemum tenuifolium	narrowleaf mountainmint
Pycnanthemum verticillatum	whorled mountainmint
Pycnanthemum virginianum	Virginia mountainmint
Pycnanthemum incanum	Virginia mountainmint
Ratibida pinnata	pinnate prairie coneflower
Rubus allegheniensis	Allegheny blackberry
Rudbeckia amplexicaulis	showy coneflower
Rudbeckia fulgida var. fulgida	orange coneflower
Rudbeckia fulgida var. speciosa	orange coneflower
Rudbeckia hirta	blackeyed Susan
Rudbeckia laciniata	cutleaf coneflower
Rudbeckia mohrii	Mohr's coneflower
Rudbeckia nitida	shiny coneflower
Rudbeckia subtomentosa	sweet coneflower
Rudbeckia triloba	browneyed Susan
Sagittaria latifolia	broadleaf arrowhead
Sambucus racemosa	red elderberry
Sanguisorba canadensis	Canadian burnet
Schizachyrium littorale	shore little bluestem
Schizachyrium scoparium var. scoparium	little bluestem
Scirpus atrovirens	green bulrush
Scirpus cyperinus	woolgrass

OPLÉ® Propagation

ArcheWild reaffirms our complete commitment to providing fully documented

Open-Pollinated, Local-Ecotype (OPLÉ®) native species. No cultivars, no asexual propagation, no bottlenecked genes.

**EcoRegion genotypes available:**

Piedmont
Long Island
Ridge & Valley
Northeastern Highlands
Appalachian Plateau
Blue Ridge

PRE-ORDERS: SPRING 2016

Scirpus expansus	woodland bulrush
Scrophularia lanceolata	lanceleaf figwort
Scrophularia marilandica	carpenter's square
Scutellaria incana	hoary skullcap
Senna hebecarpa	American senna
Senna marilandica	Maryland senna
Sisyrinchium montanum	strict blue-eyed grass
Solidago bicolor	white goldenrod
Solidago caesia	wreath goldenrod
Solidago hispida	hairy goldenrod
Solidago juncea	early goldenrod
Solidago nemoralis	gray goldenrod
Solidago odora	anisescented goldenrod
Solidago patula	roundleaf goldenrod
Solidago puberula	downy goldenrod
Solidago rugosa	wrinkleleaf goldenrod
Solidago speciosa	showy goldenrod
Solidago stricta	wand goldenrod
Solidago ulmifolia	elmleaf goldenrod
Sorbus americana	American mountain ash
Sorghastrum elliottii	slender Indiangrass
Sorghastrum nutans	Indiangrass
Sorghastrum secundum	lopsided Indiangrass
Spiraea alba var. alba	white meadowsweet
Spiraea alba var. latifolia	white meadowsweet
Spiraea corymbosa	shinyleaf meadowsweet
Spiraea tomentosa	steeplebush
Sporobolus cryptandrus	sand dropseed
Sporobolus heterolepis	prairie dropseed

OPLÉ® Propagation

ArcheWild reaffirms our complete commitment to providing fully documented

Open-Pollinated, Local-Ecotype (OPLÉ®) native species. No cultivars, no asexual propagation, no bottlenecked genes.

**EcoRegion genotypes available:**

Piedmont
Long Island
Ridge & Valley
Northeastern Highlands
Appalachian Plateau
Blue Ridge

PRE-ORDERS: SPRING 2016

<i>Strophostyles umbellata</i>	pink fuzzybean
<i>Symphoricarpos albus</i>	common snowberry
<i>Symphoricarpos orbiculatus</i>	coralberry
<i>Symphyotrichum cordifolium</i>	common blue wood aster
<i>Symphyotrichum depauperatum</i>	serpentine aster
<i>Symphyotrichum laeve</i> var. <i>laeve</i>	smooth blue aster
<i>Symphyotrichum lateriflorum</i>	calico aster
<i>Symphyotrichum novae-angliae</i>	New England aster
<i>Symphyotrichum novi-belgii</i>	New York aster
<i>Symphyotrichum oblongifolium</i>	aromatic aster
<i>Symphyotrichum patens</i>	late purple aster
<i>Symphyotrichum pilosum</i>	hairy white oldfield aster
<i>Symphyotrichum prenanthoides</i>	crookedstem aster
<i>Symphyotrichum puniceum</i> var. <i>puniceum</i>	purplestem aster
<i>Thalictrum pubescens</i>	king of the meadow
<i>Thalictrum thalictroides</i>	rue anemone
<i>Tiarella cordifolia</i>	heartleaf foamflower
<i>Tradescantia ohiensis</i>	bluejacket
<i>Tradescantia subaspera</i>	zigzag spiderwort
<i>Tradescantia virginiana</i>	Virginia spiderwort
<i>Tridens flavus</i>	purpletop
<i>Tripsacum dactyloides</i>	eastern gamagrass
<i>Vaccinium stamineum</i>	deerberry
<i>Verbena hastata</i>	swamp verbena
<i>Verbena stricta</i>	hoary verbena
<i>Verbesina alternifolia</i>	wingstem
<i>Vernonia angustifolia</i>	tall ironweed
<i>Vernonia gigantea</i>	giant ironweed
<i>Vernonia noveboracensis</i>	New York ironweed

OPEL® Propagation

ArcheWild reaffirms our complete commitment to providing fully documented Open-Pollinated, Local-Ecotype (OPEL®) native species. No cultivars, no asexual propagation, no bottlenecked genes.



EcoRegion genotypes available:

- Piedmont
- Long Island
- Ridge & Valley
- Northeastern Highlands
- Appalachian Plateau
- Blue Ridge

PRE-ORDERS: SPRING 2016

Viburnum acerifolium	mapleleaf viburnum
Vitis labrusca	fox grape (Concord grape)
Zizia aptera	meadow zizia
Zizia aurea	golden zizia